


Lead-Free Pre-plumbed Trough, LH



*RBA5503-120-453 Shown

Model RBA5503-Series

Materials & Features

Manufactured from stainless steel with all exposed surfaces in satin finish. Accommodates multiple users and is easy to install with only one water inlet and one waste outlet. Unit is pre-plumbed with Lead-Free waterpath and tapware. Suitable for education, site sheds and any high traffic installation. Tapware can be selected to offer hand wash or bottle filler options. Meets the requirements of VSBA, EFSG, AS1428.1 [12.3 Washbasins] and RAIA Design Guide for Drinking Fountains and Water Filling Points, when mounted correctly.

Technical Detail

Basin and Housing: 1.2mm, type 304 Stainless Steel
Pre-plumbed piping: Lead-free type 316 Stainless Steel
Tapware: Lead-free type 304 Stainless Steel, 6

Star WELS

Outlet Connection: 50mm BSP waste, supplied

Brackets: 5.0mm, type 201 Stainless Steel, supplied

Trap: By others


Available Models

RBA5503-120-452 Lead-Free Pre-plumbed 1200mm LH Trough with 2 Taps
RBA5503-120-453 Lead-Free Pre-plumbed 1200mm LH Trough with 3 Taps
RBA5503-160-454 Lead-Free Pre-plumbed 1600mm LH Trough with 4 Taps
RBA5503-200-455 Lead-Free Pre-plumbed 2000mm LH Trough with 5 Taps
RBA5503-240-456 Lead-Free Pre-plumbed 2400mm LH Trough with 6 Taps

Related Products

RBA5504-Series Lead-Free Pre-plumbed Hand Wash & Bottle Filler Trough, RH

Important: Installation instructions and current rough-in details should be furnished with each fixture. Do not rough in without certified dimensions. Dimensions are subject to manufacturer's tolerance of +/-10mm.














As improvements in the design and performance of RBA products are continuous, specifications may be subject to change without notice. The illustrations and descriptions herein are applicable to production as of the date of this Technical Data Sheet. Revised 10/22 © 2022 by RBA Group TD/Model RBA5503-Series/1022


^{*} Custom sizes and tap configurations available upon request. Above models based on 400mm tap centres



Lead-Free Pre-plumbed Trough, LH

Model RBA5503-Series







As improvements in the design and performance of RBA products are continuous, specifications may be subject to change without notice. The illustrations and descriptions herein are applicable to production as of the date of this Technical Data Sheet. Revised 10/22 © 2022 by RBA Group TD/Model RBA5503-Series/1022



Lead-Free Pre-plumbed Trough, LH

Model RBA5503-Series





As improvements in the design and performance of RBA products are continuous, specifications may be subject to change without notice. The illustrations and descriptions herein are applicable to production as of the date of this Technical Data Sheet. Revised 10/22 © 2022 by RBA Group TD/Model RBA5503-Series/1022